


Clevis Saddle Grab Hook Grade 100 (Peerless)

CATALOG (SKU) NUMBER: PEER-8428

- Proof tested and certified.
- No reduction of Work Load Limit due to supporting saddle in the saddle of the hook.
- Clevis prevents hook to chain size mismatch.
- Deep chain pocket.
- Design factor is 4:1.
- Meet or exceed all requirements of ASME B30.9 and B30.10.
- Proof tested in accordance with ASTM A952.
- Available in U.S.A. domestic upon request.



G-100 Clevis Saddle Grab
Hook A



Clevis grab hook



image not readable or empty
var/www/vhosts/pacificindustrial.com/httpdocs/pdfoutput/catalogv2/images/logo.jpg

G-100 Clevis Saddle Grab
Hook B

Product Specifications

CLEVIS SADDLE GRAB HOOK (PEERLESS) GRADE 100											
PART NUMBER	SIZE (IN)	SIZE (MM)	WORKING LOAD LIMIT	DIMENSION (IN)						WEIGHT EA (LBS)	COUNTRY OF ORIGIN
				A	B	C	D	E	F		
PEER-8928100	7/32	6	3,100	0.315	0.315	0.346	0.866	0.866	1.988	0.55	ITALY
PEER-8928200	9/32	7	4,300	0.394	0.394	0.449	1.181	1.102	2.56	0.97	ITALY
PEER-8928300	5/16	8	5,700	0.394	0.394	0.429	1.181	1.102	2.56	0.97	ITALY
PEER-8928400	3/8	10	8,800	0.512	0.512	0.591	1.732	1.339	3.146	2.12	ITALY
PEER-8928610	1/2.	13	15,000	0.670	0.669	0.689	20.87	1.850	4.15	4.70	ITALY
PEER-8928710	5/8	16	22,600	0.748	0.748	0.720	2.520	2.362	4.402	8.38	ITALY
PEER-8928810	3/4	20	35,300	0.925	0.906	0.866	3.346	2.559	4.646	16.05	ITALY
PEER-8928910	7/8	22	42,700	1.024	1.024	0.984	3.622	2.677	6.063	21.01	ITALY