
Jaw And Jaw Galvanized Turbuckle (Imported)

CATALOG (SKU) NUMBER: TBKL J

- Made of drop forged carbon steel.
- Galvanized finish meets ASTM A-153 specification.
- Meets design requirements of ASTM F1145, Type 1, Grade 1.
- Design factor is 5:1.
- Other styles, sizes, and stainless steel available upon request.
- Domestic available upon request.



Jaw TBKL Shelf Shot



Jaw TBKL WB

PACIFIC Industrial Supply

Product Specifications

JAW AND JAW GALVANIZED TURNBUCKLE (IMPORTED)												
PART NUMBER	SIZE (IN)	WORKING LOAD LIMIT (LBS)	DIMENSIONS (IN)									WEIGHT EACH (LBS)
			A	B	C (CLOSED)	D	E (OPEN)	F (CLOSED)	G (OPEN)	H (CLOSED)	I	
I51455	1/4 X 4	500	0.250	0.450	1.660	0.640	11.190	7.200	12.180	8.180	4.070	0.370
I51460	5/16 X 4-1/2	800	0.310	0.500	2.020	0.870	13.070	8.570	14.120	9.620	4.580	0.560
I54165	3/8 X 6	1,200	0.380	0.530	2.110	0.850	16.250	10.250	17.500	11.500	6.100	0.850
I51470	1/2 X 6	2,200	0.500	0.640	3.220	1.070	18.650	12.650	20.150	14.150	6.030	1.820
I51475	1/2 X 9	2,200	0.500	0.640	3.200	1.070	24.950	15.950	26.430	17.430	9.360	2.290
I51480	1/2 X 12	2,200	0.500	0.640	3.200	1.070	30.950	18.950	32.430	20.430	12.360	2.710
I51482	5/8 X 6	3,500	0.630	0.790	3.900	1.320	19.750	13.750	21.820	15.820	6.030	3.210
I51485	5/8 X 9	3,500	0.630	0.790	3.890	1.320	26.080	17.080	28.160	19.160	9.390	3.950
I51490	5/8 X 12	3,500	0.630	0.790	3.890	1.320	32.080	20.080	34.160	22.160	12.390	4.580
I51497	3/4 X 6	5,200	0.750	0.970	4.710	1.520	21.100	15.100	23.680	17.680	6.130	4.800
I51500	3/4 X 9	5,200	0.750	0.970	4.680	1.520	27.500	18.500	30.080	21.080	9.590	5.850
I51505	3/4 X 12	5,200	0.750	0.970	4.680	1.520	33.500	21.500	36.080	24.080	12.590	6.720
I51510	3/4 X 18	5,200	0.750	0.970	4.710	1.520	45.500	27.500	48.080	30.080	18.530	8.450

PACIFIC
Industrial Supply

JAW AND JAW GALVANIZED TURNBUCKLE (IMPORTED)												
I51515	7/8 X 12	7,200	0.880	1.160	5.500	1.770	34.650	22.650	37.620	25.620	12.160	9.370
I51520	7/8 X 18	7,200	0.880	1.160	5.500	1.770	47.120	29.120	50.100	32.100	18.630	11.800
I51525	1 X 12	10,000	1.000	1.340	6.090	2.050	35.820	23.820	39.180	27.180	12.180	13.800
I51530	1 X 18	10,000	1.000	1.340	6.090	2.050	47.820	29.820	51.180	33.180	18.180	17.100
I51535	1-1/4 X 18	15,200	1.250	1.840	8.090	2.820	51.370	33.370	55.580	37.580	18.050	25.900