



# Ratchet

CATALOG (SKU) NUMBER: WT-RATCHET

Wright's wide range of ratchets meet your every need: double-pawl ratchets in 3/8" and 1/2" drives provide ruggedness, extra strength, durability and fine tooth action. We also have the handles and attachments you're looking for- from extensions and spinners to universals, flex handles and the exclusive twin flex.

## Product Specifications

Ratchet Wrench				
Mfg Part Number	Drive (inch)	Description	Long Desc	
2426	1/4 drive	Ratchet	Ratchet - 45 teeth, 4-3/4 - Single Pawl, Swing arc 3/4	Wright ratchets are engineered to be both strong and compact. While 1/4 drive ratchets are generally used in low torque applications, Wright ratchets are actually at home in the world of high torque. • Compact design - standard head 25/32 - heavy duty head 1-5/64. • Precision machined 45 tooth action - works in the tightest places. Onepiece kit is easily removed for inspection and lubrication. • Contour handle for a comfortable grip.
3400	3/8 drive	Ratchet - Nitrile Comfort Grip- Double Pawl		
3426	3/8 drive	Ratchet - Knurled Grip- Double Pawl		
3435	3/8 drive	Flex Handle Knurled Steel Handle - Breaker Bar		



Ratchet Wrench				
4425	1/2 drive	Ratchet - Long Knurled Grip-Double Pawl		
4426	1/2 drive	Ratchet - Knurled Grip-Double Pawl		
4428	1/2 drive	Construction Spud Ratchet, Black, Drive Heavy Duty Round Head-Double Pawl,		
4435	1/2	Flex handle - Breaker Bark. Knurled Steel Handle		1/2



Ratchet Wrench				
4480	1/2 drive	Ratchet - Open Head, Pear Shape- Single Pawl		
6400	3/4 drive	Ratchet - Knurled Steel Handle	Drop forged, one-piece handle. Handle design allows operator to feel the fastener. Precision machined 45 tooth head gives long life and short arc swing. Kit is easily removed for cleaning or replacement.	
8400	1 drive	Ratchet - Knurled Steel Handle		
E3426	3/8 Drive	Ratchet, Quick Release, Oval Head, Knurled Handle		



Ratchet Wrench				
E4426	1/2 Drive	Ratchet, Quick Release, Oval Head, Knurled Handle		
WT-6435	6435	3/4 drive	Flex Handle - Knurled Steel Handle	Steel pin and tension washer construction for added strength. No binding or locked joint.
WT-6440	6440	3/4 drive	Bull Bar	2-set screw locking position head - knurled grip 24 length. Extra strength for heavy-duty applications. 1,000 ft. lbs
WT-8435	8435	1 drive	Flex Handle	Steel pin and tension washer construction for added strength. No binding or locked joint.