


Stainless Steel Closed Swage Socket (Domestic)

CATALOG (SKU) NUMBER: SWAGE SOCKET SS CLSD

- Holerite cast stainless steel swage sockets provide the industry's widest variety of socket styles.
- Holerite swage sockets are available in conventional open and closed styles, and a bail style accommodates shackles or other rigging attachments.
- These swage sockets are made with ESCO 40SS Stainless Steel.
- ESCO 40SS stainless steel alloy that maintains toughness at temperatures as low as -60°F.
- A tapered shank that provides a gradual but firm swaged grip on rope strands dampening vibration and torsion stresses.
- Eliminates the heat and acid problems common with zinc sockets.



Forged Closed swage socket



Socket Swage Closed

Product Specifications

STAINLESS STEEL CLOSED SWAGE SOCKET (DOMESTIC)														SHANK DIAMETER (BEFORE SWAGE)	SHANK DIAMETER (AFTER SWAGE)
PART NUMBER	WIRE ROPE DIAMETER (IN)	WEIGHT EACH (LBS)	DIMENSIONS (IN)										USE ESCO SWAGE DIE SIZE		
			A	B	C (LENGTH)	D (PIN HOLE)	E (MINIMUM WIRE ROPE INSERTION LENGTH)	F	G	G					
510278	5/16	1.00	1.687	0.687	4.625	0.875	2.0000	0.875	0.875	0.760	3/8IN OPEN CHANNEL				
513029	3/8	1.00	1.687	0.687	4.625	0.875	2.0000	0.875	0.875	0.760	3/8IN OPEN CHANNEL				
513029	7/16	1.50	2.000	0.812	5.875	1.0625	3.0000	1.125	1.125	1.010	1/2IN OPEN CHANNEL				
513035	1/2	1.50	2.000	0.812	5.875	1.0625	3.0000	1.125	1.125	1.010	1/2IN OPEN CHANNEL				
510280	9/16	2.50	2.500	1.125	7.250	1.2500	3.6250	1.375	1.437	1.270	5/8IN OPEN CHANNEL				
510281	5/8	2.50	2.500	1.125	7.250	1.2500	3.6250	1.375	1.437	1.270	5/8IN OPEN CHANNEL				
510282	3/4	3.00	3.000	1.312	8.375	1.4375	4.1250	1.625	1.718	1.530	3/4IN OPEN CHANNEL				

STAINLESS STEEL CLOSED SWAGE SOCKET (DOMESTIC)											
5102826	7/8	6.00	3.500	0.500	0.125	0.6875	5.5000	1.875	0.718	0.530	3/4IN OPEN CHANNEL
5102832	1	10.00	4.000	0.750	0.1562	2.0625	6.5000	2.187	0.968	0.760	7/8IN OPEN CHANNEL
5112070	1-1/8	16.00	4.500	0.000	0.4750	2.3125	9.0000	2.437	2.250	0.040	1IN OPEN CHANNEL